

DATE: 3/23/2006

INVITATION TO BID
THIS IS NOT AN ORDER

BID NO.: 50-00078920

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

Page: 1

VENDOR:

BUYER: LHefti

BIDS WILL BE RECEIVED IN THE PURCHASING DEPARTMENT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053 UNTIL 2:00 PM, 4/25/2006 AND PUBLICLY OPENED UPON COMPLETION OF ADMINISTRATIVE TASKS.

LATE BIDS WILL NOT BE ACCEPTED

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES DISQUALIFY BID.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. THIS BID PACKAGE MUST BE RETURNED IN ITS ENTIRETY.

Questions on this bid are to be faxed to (504) 364-2693 no later than FIVE (5) working days prior to bid opening. Bid numbers should be mentioned in all requests.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH will accept one bid only from each vendor. Items bid must meet or exceed specifications.

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection.

If the bid exceeds \$20,000.00 and the bidder is an agency, corporation, partnership, or other legal entity, the president, vice-president, secretary/treasurer, or an authorized agent, shall sign the proposal, and satisfactory evidence of the authority of the person signing for the agency, corporation, partnership, or other legal entity shall be attached to the proposal.

AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE.

Preference is hereby given to materials, supplies and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA-R.S.38:2251-2261"

USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

PRICES: All prices shall be quoted in the unit of measure specified, and unless otherwise specified, shall be exclusive of State and Parish taxes. As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department.

CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

Visit our website at WWW.JEFFPARISH.NET/BIDS

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

JEFFERSON PARISH requires a firm price. Quoted price will remain firm until _____

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations.

New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A117.1-1961).

RESPONSE TO INVITATION If your company is unable to bid on this request, please state your reason on bid form, and return to this office before bid opening date. Failure to do so may result in the removal of your company from all future bids.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 95466, dated January 23, 2002. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053.

POSTING OF BIDS Non-Advertised bids will be posted on bulletin board outside of Suite 4400, Jefferson Parish General Government Building, Gretna, LA, for a period of Five (5) working days after opening date.

Advertised bids will be tabulated and a copy forwarded to each responsive bidder.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

12,13,14,15

1. All bidders are invited to attend the pre-bid conference. Failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. This conference is held to allow questions to be answered and inspect the site with owner's representative, etc. Failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification (with no additional cost to the owner).
2. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project.
3. A Louisiana state contractor's license may be required in accordance with LSA-R.S. 37:2150 et seq.
4. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

5. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
6. All awards in excess of \$5,000.00 for the construction, alteration, or repair of any public works will be reduced to a formal contract which shall be recorded at the contractor's expense. A price list of recordation costs may be obtained from the Clerk of Court and Ex-officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 reduced to formal contract will require a performance bond.
7. A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. Performance bond shall be supplied at the signing of the contract.
8. Please indicate if you have insurance: YES _____ NO _____
Successful bidder will be required to furnish proof of insurance to this office.
Successful bidder will be required to furnish Federal I.D. Number.
9. Minimum insurance requirements for this bid are as indicated on the attached sheet.
10. Each bid must be accompanied by a cashier's check, certified check, money order, or surety bid bond in the amount of 5% of the bid.
11. Affidavit required to be submitted with bids on all solicitations for construction, alteration or demolition of public building or project. (LSA-R.S. 38:2224)
12. This is a requirements contract to be provided on an as needed basis.
13. Indicate if price will hold firm for 2 year(s) from date of contract or blanket purchase order:
YES _____ NO _____

If price is not firm, escalation must be clearly defined below as to maximum % increase anticipated and if bid is accepted, any increase thereafter must be supported in writing to the JEFFERSON PARISH Purchasing Department.

QUOTED PRICE WILL REMAIN FIRM UNTIL DATE: _____

WITH MAXIMUM ESCALATION PERCENTAGE OF: _____

FROM DATE OF: _____ TO DATE OF: _____

but in no event to exceed the change in the United State Bureau or Labor Statistics Consumer Price Index and/or Wholesale Price Index during the contract period. See LSA-R.S. 38:2212 A (2).

In the event that the successful bidder cannot furnish a specific item or material and labor in the required time, JEFFERSON PARISH may purchase on an emergency basis from the next lowest bidder, or available source, until such time as the successful bidder has notified the PARISH in writing that his stock or labor capability has been replenished. The difference in price will be charged against the successful bidder of this contract, and evidence of purchases and price will be provided.

14. Vendor will be required to submit to the chief buyer of the JEFFERSON PARISH Purchasing Department a quarterly usage report by item of all items listed on this proposal.
15. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be disqualified if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES _____

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK _____

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME:	
SIGNATURE: (Must be signed here)	TITLE:
PRINT OR TYPE NAME:	
ADDRESS:	
CITY, STATE:	ZIP:
TELEPHONE: ()	FAX: ()
EMAIL ADDRESS:	

TOTAL PRICE OF ALL BID ITEMS: \$ _____

THIS BID MUST BE SIGNED BY AN AUTHORIZED REPRESENTATIVE OF THE COMPANY/FIRM FOR BID TO BE VALID. BID PACKAGE, INCLUDING INSTRUCTIONS AND SPECIFICATIONS, MUST BE RETURNED IN ITS ENTIRETY FOR BID TO BE VALID. SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the bid number and bid opening date indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00078920

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	2	DR	<p>TWO (2) YEAR CONTRACT FOR SUPPLY PETROLEUM PRODUCTS, KEROSENE, VARSOL, ETC. (55 GALLON CONTAINERS), FOR THE DEPARTMENT OF FLEET MANAGEMENT</p> <p>0010 - TEXACO URSA SP 10W-30, "LLDR" /PER GAL.</p> <p>"NRSD" - 55 GAL. DRUM PETROLEUM PRODUCTS (MORE OR LESS) (AS PER BELOW SPECS) GRAVITY, API - 28.8 FLASH, COC, F - 399 POUR PT., F (-27) VISCOSITY CST AT 40 C - 74.0 CST AT 100C - 10.9 VISCOSITY INDEX - 134 ASH (SULFATED), % MAX - 8 TBN (ASTM D-2896) - 9 (DD-664) - 7.5 ZINC % MASS - 13 MAGNESIUM % MASS - 14 CALCIUM % MASS - 02 MEETS API CC, CD, CD-II, CE, SG & API SAE OIL REQUIREMENTS FOR GASOLINE ENGINES, MEETS SHEAR STABILITY REQUIRE- MENTS OF CCMC (CEC-L-14-T74) OR MEASURED IN ASTM D-3945 SHEAR STABILITY TESTS, MEETS THE LATEST AND MOST SEVERE CLASSIFICATION FOR DIESEL ENGINES. (SAME)</p>		
2	1	DR	<p>0020 - TEXACO MULTIGEAR, 85W140, 55 GALLON DRUM PETROLEUM PRODUCTS, /PER GAL.</p> <p>(MORE OR LESS) (AS PER BELOW SPECS) GRAVITY, API - 25.5 FLASH, COC, F - 375 POUR, PT., F - 0 VISCOSITY CST AT 40 C - 310 CST AT 100C - 24.7 SSU AT 100F - 1668 SSU AT 210F - 123 STRAIGHT MINERAL GEAR LUBRICANT MEETING API GL5 SPECIFICATIONS. (SAME)</p>		
3	1	DR	<p>0030 - TEXACO MULTIGEAR, 80W90 55 GAL. DRUM, PETROLEUM PRODUCTS /PER GAL.</p> <p>(MORE OR LESS) (AS PER BELOW SPECS)</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00078920

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
4	10	DR	GRAVITY, API - 26.8 FLASH, COC F - 375 POUR, PT., F - (-20) VISCOSITY CST AT 40 C - 133 CST AT 100C - 13.9 SSU AT 100F - 694 SSU AT 210F - 75.2 STRAIGHT MINERAL GEAR LUBRICANT MEETING API GL5 SPECIFICATIONS. (SAME)		
			0040 - SUPER MERION / DEXTRON III 55 GAL. DRUM, PETROLEUM PRODUCTS /PER GAL. (MORE OR LESS) (AS PER BELOW SPECS) FLASH F - 360 POUR F - (-30) VISCOSITY CST AT 40 C - 39.7 CST AT 100C - 6.2 SSU AT 100F - 204 SSU AT 210F - 47.1 VISCOSITY INDEX - 102 USED IN ALLISON POWERSHIFT AND MODEL CL(8) T700 AUTOMATIC TRANSMISSIONS AND OTHER EQUIPMENT REQUIRING EITHER TYPE C-1, TYPE C-2, OR TYPE C-3 HYDRAULIC TRANSMISSION FLUID. (SAME RPX III)		
5	1	DR	0050 - TEXACO RENDO HDZ 15 55 GAL. DRUM, PETROLEUM PRODUCTS, "LLDR" /PER GAL. (MORE OR LESS) (AS PER BELOW SPECS) 150 GRADE - 15 FLASH F - 302 POUR F - (-49) VISCOSITY CST AT 40 C - 16.4 CST AT 100C - 4.0 SSU AT 100F - 87.6 SSU AT 210F - 39.8 VISCOSITY INDEX - 153 RUST TEST ASTM D-665 A.) DISTILLED WATER - B.) SYNTHETIC SEA WATER - (SAME)		
6	7	DR	0060 - CALUMET ANTI-WEAR HYDRAULIZ 46, 55 GALLON DRUM PETROLEUM PRODUCTS /PER GAL. (MORE OR LESS) (AS PER BELOW SPECS) FLASH, F - 441 POUR, F - 0		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00078920

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
7	23	DR	VISCOSITY CST AT 40 C - 43.3 SSU AT 100F - 155 VISCOSITY INDEX - 95 ISO VG - 46 FOAM ASTM D-892 SEQ.I,II,&III - OXIDATION STABILITY ASTM D-942 HRS-1000+ HYDROLYTIC STABILITY ASTM D-2619 - RUST PROTECTIONS ASTM D-665 A & B - VANE PUMP TEST ASTM D-2882 - 35 V Q 25 VANE PUMP TEST - (SAME)		
			0070 - CALUMET ANTI-WEAR HYDRAULIC 32 "LLDR", 55 GALLON DRUM PETROLEUM PRODUCTS /PER GAL. HYDRAULIC OIL (MORE OR LESS) (AS PER BELOW SPECS) FLASH, F - 432 POUR, F - 0 VISCOSITY CST AT 40 C - 30.1 SSU AT 100F - 155 VISCOSITY INDEX - 95 ISO VG - 32 FOAM ASTM D-892 SEQ. I,II & III - OXIDATION STABILITY ASTM D-943 - 1000+ HYDROLYTIC STABILITY ASTM D-2619 POINT PRETROLEUM ASTM D-665A&B - VANE PUMP TEST ASTM D-2882 - 35 V Q 25 VANE PUMP TEST - (CAM 2 AW32)		
8	3	DR	0080 - CALUMET TRACTOR HYDRAULIC FLUID 55 GAL. DRUM PETROLEUM PRODUCTS FLD. "LLDR" /PER GAL. (MORE OR LESS) (AS PER BELOW SPECS) FLASH, COC, F - 392 POUR, PT., F - (-25) VISCOSITY CST AT 40 C - 57.8 CST AT 100C - 9.1 SSU AT 100F - 272 SSU AT 210F - 55.7 VISCOSITY INDEX - 135 PREMIUM UNIVERSAL LUBRICANT FOR ALL TRACTORS THAT REQUIRE A SINGLE OIL FOR LUBRICATION OF TRANSMISSION, DIFFERENTIAL AND DRIVE GEARS. IT CAN BE USED AS POWER BRAKE, POWER TAKE-OFF AND POWER STEERING FLUID WHERE MINERAL OILS ARE RECOMMENDED. MEETS SPECS FOR AC POWER FLUID 821. ALLISON C1, C2, C3, C4 CATERPILLAR T02, FORD/NEW HOLLAND ESNM2C41B, ESNMC248-B, ESNM2C53C, ESNM2C77A, ESNM2C868, ESNM2C134A,3,C,D CASE INTERNATIONS JIC 185, JIC 145		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00078920

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
9	25	DR	<p>JIC 144, JIC 143, MS 1205, MS 1204 MS 1210 (TCH), MS 1206 (POWER GRADE PTF) JOHN DEERE J20A (HY GARD), J1145 (303 FLUID), J146, J21A. (SAME)</p> <p>0090 - SUPER S MERON DEX. III MERCON ATF, "LLDR"</p> <p>55 GAL. DRUM, PETROLEUM PRODUCTS /PER GAL.</p> <p>(MORE OR LESS) (AS PER BELOW SPECS) COLOR - RED GRAVITY, API - 29.5 FLASH, POINT F - 360 POUR, PTX, F - (-40) VISCOSITY CP, AT (-40) C - 40,000 CST AT 40 C - 37 CST AT 100C - 7.4 SSU AT 100F - 190 SSU AT 210F - 51 VISCOSITY INDEX - 160 PHOSPHORUS % MASS - 050 CALCIUM % MASS - 013 MEETS TRANSMISSION FLUID REQUIREMENTS FOR ALL ALLISON AUTOMATIC TRANS. ALLISON C3 & C4 AND CATERPILLAR T02 GM DEXRON II, AMERICAN MOTORS, CHRYSLER, AND MERCON, ESP-M2C166H AS ESP-M2C133C. (SUPER 5 DEX III)</p>		
10	255	DR	<p>0100 - EXCEL 15W-40 MOTOR OIL, 55 GAL. DRUM, PETROLEUM PRODUCTS /PER GAL.</p> <p>(MORE OR LESS) (AS PER BELOW SPECS) GRAVITY, API - 28.4 FLASH, COC, F - 399 POUR PT., F - (-17) VISCOSITY CST AT 40 C - 120.5 CST AT 100C - 15.4 VISCOSITY INDEX - 136 ASH (SULFATED), % MAX - 8 TBN (ASTM D-2896) - 9 D-664 - 7.5 ZINC % MASS - 13 MAGNESIUM % MASS - 14 CALCIUM % MASS - 02 MEETS API CC, CD, CD-II, CE, SG & API SAE OIL REQUIREMENTS FOR GASOLINE ENGINES. MEETS SHEAR STABILITY REQUIRE- MENTS OF CCMC (CEC-L-14-T74) AS MEASURED IN ASTM D-3945 SHEAR STABILITY TESTS. ALSO MEETS VISCOSITY GRADE FOR CUMMINS, DDC SERIES 60, NAVISTAR, INTER- NATIONAL, AND MACK TRUCK ENGINES. (SAME)</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00078920

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
11	1	DR	0120 - TEXACO HEWOLINE 5W-30, "LLDR", 55 GAL. DRUM, PETROLEUM PRODUCTS /PER GAL. (AS PER BELOW SPECS) GRAVITY, API - 30.0 FLASH, COC, F - 410 POUR, F (-22) VISCOSITY CST AT 40 C - 70 CST AT 100C - 10.2 VISCOSITY INDEX - 146 ASH (SULFATED) - 81 ZINC % MASS - 09 MAGNESIUM % MASS - 13 COPPER PPM - 100 API LEVEL - SG UNILUSE API DIESEL ENGINE CATEGORY CC. (SAME)		
12	1	DR	0130 - TEXACO URSA SP40, "LLDR", 55 GAL. DRUM, PETROLEUM PRODUCTS /PER GAL. (MORE OR LESS) (AS PER BELOW SPECS) GRAVITY, API - 27.7 FLASH, COC, F - 437 POUR, PT., F - 1 VISCOSITY CST AT 40 C - 149.7 CST AT 100C - 14.3 VISCOSITY INDEX - 98 ASH (SULFATED), % - 8 TBN (ASTM D-2896) - 9 (ASTM D-664) - 7.5 ZINC % <5 MASS - 13 MAGNESIUM % MASS - 14 CALCIUM % MASS - 02 MEETS API CC, CD, CD-II, CE, SG & API SAE OIL REQUIREMENTS FOR GASOLINE ENGINES. (SAME)		
13	2	DR	0140 - TEXACO URSA SP 30W, "LLDR", 55 GAL. DRUM, PETROLEUM PRODUCTS /PER GAL. (MORE OR LESS) (AS PER BELOW SPECS) GRAVITY, API - 28.0 FLASH, COC F - 428 POUR, PT., F - (-6) VISCOSITY CST AT 40 C - 105.5 CST AT 100C - 11.3 VISCOSITY INDEX - 100 ASH (SULFATED), % MAS - 8 TBN (ASTM D-2896) - 9 (ASTM D-664) - 7.5 ZINC % MASS - 13		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00078920

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
14	1	DR	<p>MAGNESIUM % MASS - 14 CALCIUM % MASS - 02 MEETS API CC, CD, CD-II, CE, SG & API SAE OIL REQUIREMENTS FOR GASOLINE AND DIESEL ENGINES. (SAME)</p> <p>0150 - TEXACO URSA SP 20, 55 GALLON DRUM, PETROLEUM PRODUCTS</p> <p>/PER GAL.</p> <p>(MORE OR LESS) (AS PER BELOW SPECS) GRAVITY, API - 28.6 FLASH, COC F - 421 POUR, PT., F - (-22) VISCOSITY CST AT 40 C - 65.5 CST AT 100C - 8.7 VISCOSITY INDEX - 105 ASH (SULFATED), % - 8 TBN (ASTM D-2896) - 9 (ASTM D-664) - 7.5 ZINC % MASS - 13 MAGNESIUM % MASS - 14 CALCIUM % MASS - C2 MEETS API CC, CD, CD-II, CS, SG & API SAE OIL REQUIREMENTS FOR GASOLINE ENGINES. (SAME)</p>		
15	1	DR	<p>0160 - TEXACO URSA SP 10 WT., "LLDR", 55 GAL. DRUM, PETROLEUM PRODUCTS</p> <p>/PER GAL.</p> <p>(MORE OR LESS) (AS PER BELOW SPECS) APPEARANCE - DARK RED GRAVITY, API - 29.5 FLASH, COC, F 399 POUR, PT., F - (-27) VISCOSITY INDEX - 110 ASH (SULFATED), % - 8 TBN (ASTM D-2896) - 9 (ASTM D-664) - 7.5 ZINC % MASS - 13 MAGNESIUM % MASS - 14 CALCIUM % MASS - 0.2 MEETS API CC,CD,CD-II, CE, SG & API SAE OIL REQUIREMENTS FOR GASOLINE ENGINES. (SAME)</p>		
16	19	EA	0170 - Kerosene, 55 gallon container		
17	13	EA	0180 - Varsol, 55 gallon container MINERAL SPRITS		
18	17	EA	0190 - TEXACO RANDO HD 46 hydraulic oil 55 gal. drum		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00078920

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
19	2	EA	Petroleum Products Product Code<: 65209 Viscosity: @ 40 degree C, cSt 46.0 @100 degree C, cSt 6.8 @100 degree F, SUS 237 @210 degree F, SUS 449 Viscosity Index 102 Gravity degree API@60 degreeF 29.5 Flash point, COC, degreeF 420 Pour Point, Degree F -20 Copper Corrosion 1a Emulsion test @130 degree F 30 minutes max _____ rust test _____ turbine oil stability test, hours _____ (SAME)		
			0200 - TEXACO RANDO HD68 drum petroleum products Product Code : 65211 Viscosity: @ 40 degree C, cSt 68.0 @ 100 degree C, cSt 8.3 @100 degreeF, SUS 353 @ 210 degreeF, SUS 554.2 Viscosity index 97 Gravity degreeAPI @60 degree F 28.5 Flash point, COC, Degree F 440 Pour Point, Degree F -20 Copper corrosion 1a Emulsion Test @ 1130 degree F 30 minutes max _____ Rust test _____ Turbine Oil Stability Test, hours _____ (SAME)		
20	8	EA	0210 - SUPER S HI-TEMP 2 ***** (REPLACED W/STAMINA RLS) ***** 400 lb. drum Product Code 70311 Color Blue Soap type Lithium complex Base Oil Viscosity @ 40 degreeC, cSt 150 @100 degreeC, cSt 14.5 NLGI Classification GC/LB Dropping point degree F 536 Water washout wt %		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00078920

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
21	1	EA	<p> loss @ 175 degree F 6.8 Timken OK load, lbs 45 Rust _____ Worked penetration, dmm @ 77 degree F 60 strokes 280 Bomb oxidation 100 hrs. @210 degree F, psi drop 5 max *****SHELL - STAMINA RLS ***** </p> <p> 0220 super merion/dextraon III synthetic 55 gal drum petroleum products/pergal (more or less) (as per below specs) flash F -360 Pour F -(-30) viscosity CST at 40C - 39.7 CST at 100C - 6.2 SSU at 100F - 204 SSU at 210F -47.1 viscosity index - 102 used in Allison Powershift and Model CL(8) T700 automatic transmissions and other equipment requiring either type C-1 Type C-2 or Type C-3 Hydraulic Transmission Fluid (Same RPX 111) </p>		

CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF

INCORPORATED.

AT THE MEETING OF DIRECTORS OF _____
INCORPORATED, DULY NOTICED AND HELD ON _____,
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED. THAT _____, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE AND RECEIPT THEREFOR ALL
PURCHASE ORDERS AND NOTICES ISSUED PURSUANT TO THE PROVISIONS OF
ANY SUCH BID OR CONTRACT, THIS CORPORATION HEREBY RATIFYING,
APPROVING, CONFIRMING, AND ACCEPTING EACH AND EVERY SUCH ACT
PERFORMED BY SAID AGENT AND ATTORNEY-IN-FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE
ABOVE DATED MEETING OF THE BOARD
OF DIRECTORS OF SAID CORPORATION,
AND THE SAME HAS NOT BEEN
REVOKED OR RESCINDED.

SECRETARY-TREASURER

DATE